

LBWB



Features

Bullet Miniature Camera

SONY/SHARP Color CCD

Back Light Compensation(BLC)

Lens: 3.6mm Board Lens (Optional)

Dimension : ϕ 20 x 62(H) mm

Specifications

Model	LBWBSH	LBWBS	LBWBH	LBWBHF
Image Sensor	1/3"SONY	1/3"SONY	1/3"SHARP	1/4"SHARP
Horizontal Resolution	480 TV Line	420 TV Line		
Pixels	PAL:752(H)×582(V) NTSC:768(H)×494(V)	PAL:500(H)×582(V) NTSC:510(H)×492(V)		
TV System	PAL/NTSC			
Lens	3.6mm Board Lens (Optional)			
Sync System	Internal			
Usable Illumination	1.0Lux/F2.0	0.8Lux/F2.0	1.0Lux/F2.0	
S/N Ratio	≥48dB (AGC OFF)			
Gamma Correction	0.45			
Video Out	Composite Signal (1.0Vp-p, 75Ω)			
Scanning System	PAL:625 Lines, 50 Field/Sec;NTSC:525 Lines, 60 Field/Sec			
Electronic Shutter Time	Auto:PAL 1/50-1/100,000Sec;NTSC 1/60-1/100,000Sec			
Operation Temperature	-10℃ ~ +50℃ RH95% Max			
Storage Temperature	-20℃ ~ +60℃ RH95% Max			
White Balance	Auto			
Power Source	DC12V 100mA			
Dimension	ϕ 20 x 62(H) mm			
Weight	300g			