



GENERAL LIGHTING
GENERAL LIGHTING ELECTRONIC CO.,LTD

Specification

Customer Name: _____

Part No.: GL-HFA-SERIES

Product Name: Flexible LED Strips

Sample Delivery: _____

Customer confirm		GENERAL LIGHTING	
Confirm	Approve	Confirm	Approve
Customer Comfirmed: <input type="checkbox"/> Qualified <input type="checkbox"/> Unqualified			




■ Features

- » Pure White/Warm White available 3pcs LEDs per unit;
- » with accessories to help strip easy installation, strip continuous connection and strip connection to LED drivers.




■ Application

- » Cover lighting
- » Architectural light for canopy, corridor, window, archway
- » Backlight for edge lighting for signage
- » DIY lights for home use
- » Path and contour marking
- » Decorative lights for holiday, event, show exhibition




■ Dimension




Unit: mm

GL-HFA-*-300


■ **Circuit Design**



■ **Spectrum**



■ **Color Chart**




The data above is from the test condition of $T_a = 20 \sim 25$ degree (PW/WW/G/B DC4V 38mA)(R/Y DC3V 38mA)

Parameter

Part No.	LED Q' ty	LED Type	Voltage (DC/V)	Size(MM)	Wavelegth (nm)/Tc	Flux(±5%)	Max Power
GL-HFA-PW	300PCS	TOP SMD	12	5000X8	6000-7000K	3004.5lm	48W
GL-HFA-WW	300PCS	3528 LED	12	5000X8	3000-3500K	2799.2lm	48W

GL-HFA-*-300

Dimension



Unit: mm


GL-HFA-*-390

Parameter

Part No.	LED Q' ty	LED Type	Voltage (DC/V)	Size(MM)	Wavelegth (nm)/Tc	Flux(±5%)	Max Power
GL-HFA-PW	390PCS	TOP SMD	12	5000X8	6000-7000K	3905.9lm	62.4W
GL-HFA-WW	390PCS	3528 LED	12	5000X8	3000-3500K	3639lm	62.4W

GL-HFA-*-390

Dimension



Unit: mm


GL-HFA-*-600

Parameter

Part No.	LED Q' ty	LED Type	Voltage (DC/V)	Size(MM)	Wavelegh (nm)/Tc	Flux(±5%)	Max Power
GL-HFA-PW	600PCS	TOP SMD	12	5000X10	6000-7000K	6009lm	96W
GL-HFA-WW	600PCS	3528 LED	12	5000X10	3000-3500K	5598.5lm	96W




GL-HFA-*-600

Accessories










Accessories

Item	Part NO.	Decription
1	T1	15P joined connector with wire
2	T2	15P joined connector




Operation Guidance





Package



Standard Packing Per Bag

LED strips: 1 reel
Accessories: 1 bag

Standard Packing Per Outer Carton:

14 bags to 1 inner box;
4 inner boxes to 1 outer carton
G.W.: 20kg
Measurement: 52X45X28(cm)

Note

1. Please make LED drivers compatible with flexible LED strips before use LED strips;
2. To use LED strips 5M in serial, longer than 5M in parallel.



GENERAL LIGHTING
GENERAL LIGHTING ELECTRONIC CO.,LTD

TEL: +86-755-81793969 81707642

FAX: +86-755-27627501

MAIL: info@gl-leds.com

http: //www. gl-leds. com

ADDRESS: 5Floor, B building, Sanmin Industrial Park, Shuitian
Shiyan Town , Bao' an Disrtict, Shenzhen, China.