






Catalogue

Item	Page
1.Hot products -----	2
2.Special offer products -----	3
3.IR Waterproof Camera -----	3
(10~20 M Infrared distance)-----	3
(25~30 M Infrared distance) -----	3~4
(40~50 M Infrared distance)-----	4~5
(70~100 M Infrared distance)-----	5
4.Dome Cameras -----	5
(With IR) -----	5~6
(Without IR) -----	6~7
5.FLY Saucer -----	8
6.Box camera -----	8~9
7.Mini Camera -----	9
8. Zoom camera -----	10
9. Wide dynamic camera -----	10

Model	Picture	CCD Type	Parameter	Remarks	PCs<20 pcs	PCs for 20-80pcs	PCs for 80-100pcs	
1.Hot product								
SC--B9040		1/3" SOYCN CCD (Color), 1/3" SOYCN CCD(B / W)	0 Lux	420 TVL 600 TVL	Double CCD ,4 mm/3.6 mm IR Lens			
SC-H2040		1/3" SOYCN CCD (Color), 1/3" SOYCN CCD(B / W)	0 Lux	480 TVL 600 TVL	Double CCD ,4 mm/3.6 mm IR Lens			
SC-B8800		1/4"Sony Color CCD(import from Korea)	0.5Lux	480 TVL	220x auto focus zoom lens f=3.6-79.2mm,Built-in RS-485,Anti-explosion;Anti-Corrosion,IP 66 stainless housing			
SC-B8801		1/3"Sony Ex-view HAD CCD	0 Lux	420 TVL	Built-in 3.5-8mm vari-focal lens,Anti-explosion;Anti-corrosion,IP66, stainless Housing			
SC-34(341)P		Color Sharp 1/4 "	0 Lux	420TVL	20M: 3.6MM lens			
SC-34(341)PSQ		Color Sharp 1/4 "		420TVL				
SC-34(341)PQ		Color Sony 1/3 "		420TVL				
SC-34(341)HP		Color Sony 1/3 "		480TVL				
SC-34(341)PH1		Color Sony 1/3 "		450TVL				
SC-34(341)PH2		Color Sony 1/3 "		530TVL				
SC-35 (351) P		Color Sharp 1/4 "	0 Lux	420TVL	30M: 3.6MM lens			
SC-35(351)PSQ		Color Sony 1/4 "		420TVL				
SC-35(351)PQ		Color Sony 1/3 "		420TVL				
SC-35(351)HP		Color Sony 1/3 "		480TVL				
SC-35(351)PH1		Color Sony 1/3 "		450TVL				
SC-35(351)PH2		Color Sony 1/3 "		530TVL				
SC-67P		Color Sharp 1/4 "	0 Lux	420TVL	30M: 3.6MM lens			
SC-67PSQ		1/4 SONY color		420TVL				
SC-67PQ		Color Sony 1/3 "		420TVL				
SC-67HP		Color Sony 1/3 "		480TVL				
SC-67PH1		Color Sony 1/3 "		450TVL				
SC-67PH2		Color Sony 1/3 "		530TVL				
SC-67PH1M		Color Sony 1/3 "		450TVL				With OSD:motion detect,image adjustment,The display area can be covered,30M: 3.6MMlens
SC-67PH2M		Color Sony 1/3 "		530TVL				With OSD:motion detect,image adjustment,The display area can be covered,30M: 3.6MMlens
SC-68P		Color Sharp 1/4 "	0 Lux	420TVL	20M: 3.5-8MM lens			
SC-68PSQ		Color Sony 1/4 "		420TVL				
SC-68PQ		Color Sony 1/3 "		420TVL				
SC-68HP		Color Sony 1/3 "		480TVL				
SC-68PH1		Color Sony 1/3 "		450TVL	20M: 3.5-8MM lens			
SC-68PH2		Color Sony 1/3 "		530TVL	20M: 3.5-8MM lens			
SC-68PH1M		Color Sony 1/3 "		450TVL	With OSD:motion detect,image adjustment,The display area can be covered,20M: 3.5-8MM lens			
SC-68PH2M		Color Sony 1/3 "		530TVL	With OSD:motion detect,image adjustment,The display area can be covered,20M: 3.5-8MM lens			




SC-69P-A/B/C		Color Sharp 1/4 "	0 Lux	420TVL	40M; (A :3.5 - 8Mmlens outward redeployment ; B: fixed lens; C: 6-15 mmlens outward redeployment.The price is in B,ModelA should plus USD4,Model C should plus USD 8)			
SC-69PSQ-A/B/C		Color Sony 1/4 "		420TVL				
SC-69PQ-A/B/C		Color Sony 1/3 "		420TVL				
SC-69HP-A/B/C		Color Sony 1/3 "		480TVL				
SC-69PH1-A/B/C		Color Sony 1/3 "		450TVL				
SC-69PH2-A/B/C		Color Sony 1/3 "		530TVL				
SC-69PH1M-A/B/C		Color Sony 1/3 "		450TVL	With OSD,40M: The price is in B,ModelA should plus USD4,Model C should plus USD 8			
SC-69PH2M-A/B/C		Color Sony 1/3 "		530TVL				

2.Special offer Camera



SC-IR208		1/4 "sharp Color	O Lux	420TVL	50M, ϕ 8*24infrared lamps			
SC-IR206		1/3 "sharp Color	O Lux					
SC-IR203		1/4 "sony Color	O Lux					
SC-IR202		1/3 "sony Color	O Lux					
SC-IR201		1/3 "sony Color	O Lux			480TVL	High Resolution ,50M. ϕ 8*24 LED	
SC-D238		1/4 "sharp Color	O Lux	420TVL	25M, ϕ 5*18infrared lamps,3.6mm lens			
SC-D236		1/3 "sharp Color	O Lux					
SC-D233		1/4 "sony Color	O Lux					
SC-D232		1/3 "sony Color	O Lux					
SC-D231		1/3 "sony Color	O Lux			480TVL	High Resolution ,25M. ϕ 5*18infrared lamps3.6mm lens	

3. IR Waterproof Camera





(10~20 M Infrared distance)

SC-IR582		Color Sony 1/3 "	0Lux	420TVL	12LED, with bracket,3.6/6mm lens, IR:15m			
SC-IR583		Color Sony 1/4 "						
SC-IR586		Color SHARP 1/3 "						
SC-IR588		Color SHARP 1/4 "						
SC-IR632		Color Sony1/3 "	0Lux	420TVL	12pcs IR LED, with bracket, IR: 10m, 3.6 / 6 / 8mm lens			
SC-IR633		Color Sony 1/4 "						
SC-IR636		Color Sharp1/3 "						
SC-IR638		Color Sharp 1/4 "						
SC-IR602		Color Sony 1/3 "	0Lux	420TVL	12LED, 3.6/6/8mm lens, IR: 15m			
SC-IR603		Color Sony 1/4 "						
SC-IR606		Color SHARP 1/3 "						
SC-IR608		Color SHARP 1/4 "						
SC-605B		B&W LG1/3 "		480TVL				



(25~30 M Infrared distance)

SC-IR828		Color Sharp 1/4 "Color	O Lux	420TVL	25/30M, ϕ 5*24/36 Infrared			
SC-IR826		1/3sharp Color	O Lux		25/30M, ϕ 5*24/37 Infrared			
SC-IR823		Color Sony 1/4 "color CCDcolor	O Lux		25/30M, ϕ 5*24/38 Infrared			
SC-IR822		1/3sony Color	O Lux		25/30M, ϕ 5*24/39 Infrared			
SC-IR821		1/3sony Color	O Lux		480TVL	25/30M, ϕ 5*24/40 Infrared		
SC-H3508C		1/3" Sony Super HAD CCD	O Lux	420TVL	Built-in 3.5-8mm vari-focal lens,30M,IR LED and CDS sensor			
SC-H3508		1/4" Sony Color CCD	O Lux					
SC-H1030		1/3" SONY Super HAD CCD	O Lux		420TVL	Built-in 6mm lens,30M,IR LED and CDS sensor		
SC-H1025		1/4" SONY Color CCD	O Lux					

SC-IR288		1/4 "sharp Color	O Lux	420TVL	25/30M, ϕ 5*24/36 LED			
SC-IR286		1/3 "sharp Color	O Lux					
SC-IR283		1/4 "sony Color	O Lux					
SC-IR282		1/3 "sony Color	O Lux					
SC-IR281		1/3 "sony Color	O Lux	480TVL	High Resolution ,25/30M, ϕ 5*24/36 LED			
SC-IR352		Color Sony 1/3 "	0Lux	420TVL	36LED, with bracket, 3.6/6/8mm lens, IR: 30m			
SC-IR358		Color SHARP 1/4 "						
SC-IR356		Color Sharp 1/3 "						
SC-IR353		Color Sony 1/4 "						
SC-IR522		Color Sony 1/3 "	0Lux	420TVL	36LED, with bracket, 3.6/6/8mm lens, IR: 30m			
SC-IR528		Color SHARP 1/4 "						
SC-IR526		Color Sharp 1/3 "						
SC-IR523		Color Sony 1/4 "						
SC-IR562		Color Sony 1/3 "	0Lux	420TVL	30LED, with bracket, 3.6/6m/8m lens, IR: 30m			
SC-IR568		Color SHARP 1/4 "						
SC-IR566		Color Sharp 1/3 "						
SC-IR563		Color Sony 1/4 "						
SC-IR532		Color Sony 1/3 "	0Lux	420TVL	24LED, with bracket, 3.6/6/8mm lens, IR: 25m			
SC-IR533		Color Sony 1/4 "						
SC-IR536		Color SHARP 1/3 "						
SC-IR538		Color SHARP 1/4 "						
SC-IR552		Color Sony 1/3 "	0Lux	420TVL	24LED, with bracket, 3.6/6/8mm lens, IR: 25m			
SC-IR553		Color Sony 1/4 "						
SC-IR556		Color SHARP 1/3 "						
SC-IR558		Color SHARP 1/4 "						
SC-IR382		Color Sony 1/3 "	0Lux	420TVL	24LED, with bracket, 3.6/6mm lens, IR: 25m, violet body			
SC-IR383		Color Sony 1/4 "						
SC-IR386		Color SHARP 1/3 "						
SC-IR388		Color SHARP 1/4 "						
SC-IR592		Color Sony 1/3 "	0Lux	420TVL	36LED, 3.6/6/8mm lens, IR: 30m			
SC-IR593		Color Sony 1/4 "						
SC-IR596		Color SHARP 1/3 "						
SC-IR598		Color SHARP 1/4 "						
SC-IR592B		B&W Sony1/3 "				480TVL		
SC-IR595B		B&W LG1/3 "						
(40~50 M Infrared distance)								
SC-IR268		1/4 "sharp Color	O Lux	420TVL	50M, ϕ 5*48, ϕ 8*24infrared lamps			
SC-IR266		1/3 "sharp Color	O Lux					
SC-IR263		1/4 "sony Color	O Lux					
SC-IR262		1/3 "sony Color	O Lux					
SC-IR261		1/3 "sony Color	O Lux	480TVL	High Resolution ,50M, ϕ 5*48, ϕ 8*24 LED			



SC-H5040P		1/3" SONY Super HAD CCD	0 Lux	420TV TVLs	Built-in 8-22mm IR Lens,40-50 Meters working distance with IR LED On			
SC-HA140IR		1/3" SONY Super HAD CCD	0 Lux		Built-in 16 mm IR Lens,40-50 Meters working distance with IR LED On			
SC-IR362		Color Sony 1/3 "	0Lux	420TVL	25LED, with bracket, 3.6/6/8mm lens, IR: 40m, violet body			
SC-IR363		Color Sony 1/4 "						
SC-IR366		Color SHARP 1/3 "						
SC-IR368		Color SHARP 1/4 "						
SC-IR332		Color Sony 1/3 "	0Lux	420TVL	35LED, 8/12/16mm lens, with bracket, IR: 50m, violet body			
SC-IR333		Color Sony 1/4 "						
SC-IR336		Color SHARP 1/3 "						
SC-IR338		Color SHARP 1/4 "						
SC-IR331		Color Sony 1/3 "		520TVL				
SC-IR502		Color Sony 1/3 "	0Lux	420TVL	35LED, with bracket, 8/12/16mm lens, IR: 50m			
SC-IR508		Color SHARP 1/4 "						
SC-IR503		Color Sony 1/4 "						
SC-IR506		Color SHARP 1/3 "						

(70~100 M Infrared distance)

SC-IR228		1/4 "sharp Color	0 Lux	420TVL	70M, \varnothing 8*35infrared lamps			
SC-IR226		1/3 "sharp Color	0 Lux					
SC-IR223		1/4 "sony Color	0 Lux					
SC-IR222		1/3 "sony Color	0 Lux					
SC-IR221		1/3 "sony Color	0 Lux	480TVL	High Resolution ,70M, \varnothing 8*35 LED			
SC-IR322		Color Sony 1/3 "	0Lux	420TVL	12pcs High Power IR LED, 25mm lens, with bracket, IR: 100m, violet body			
SC-IR323		Color Sony 1/4 "						
SC-IR326		Color SHARP 1/3 "						
SC-IR328		Color SHARP 1/4 "						
SC-IR392		Color Sony 1/3 "	0Lux	420TVL	16X vari-focal lens, 8LED, 6-60mm lens, IR: 100m			
SC-IR393		Color Sony 1/4 "						
SC-IR396		Color SHARP 1/3 "						
SC-IR398		Color SHARP 1/4 "						
SC-Z303		Color Sony 1/4 "					IR: 100m, with digital 22X zoom camera inside	

4. Dome Cameras





(With IR)

SC-D268		1/4 "sharp Color	0 Lux	420TVL	30M, \varnothing 5*30infrared lamps.6mm lens			
SC-D266		1/3 "sharp Color	0 Lux					
SC-D263		1/4 "sony Color	0 Lux					
SC-D262		1/3 "sony Color	0 Lux					
SC-D261		1/3 "sony Color	0 Lux	480TVL	High Resolution ,30M, \varnothing 5*30infrared lamps,6mm lens			
SC-D228		1/4 "sharp Color	0 Lux	420TVL	Vandal proof, 20M, \varnothing 5*20infrared lamps,3.6mm lens			
SC-D226		1/3 "sharp Color	0 Lux					
SC-D223		1/4 "sony Color	0 Lux					
SC-D222		1/3 "sony Color	0 Lux					
SC-D221		1/3 "sony Color	0 Lux	480TVL	High Resolution ,20M, \varnothing 5*20infrared lamps,,3.6mm lens			

SC-D602		Color Sony 1/3 "	0Lux	420TVL	Vandal proof Dome 23LED, 3.6mm lens, violet/silver/black color, IR: 25m			
SC-D603		Color Sony 1/4 "						
SC-D606		Color SHARP 1/3 "						
SC-D608		Color SHARP 1/4 "						
SC-D208		1/4 "sharp Color	O Lux	420TVL	20M, ϕ 5*18infrared lamps			
SC-D206		1/3 "sharp Color	O Lux					
SC-D203		1/4 "sony Color	O Lux					
SC-D202		1/3 "sony Color	O Lux					
SC-D201		1/3 "sony Color	O Lux	480TVL	High Resolution ,20M, ϕ 5*20infrared lamps			
(Without IR)								
SC-D868		1/4 " sharp Color	0.1LUX	420TVL	Dome Camera			
SC-D866		1/3 "sharp Color	0.8LUX					
SC-D863		1/4 "sony Color	1.0LUX					
SC-D8620		1/3 "sony Color	0.8LUX					
SC-D8621		1/3 "sony Color	10.LUX	480TVL	High Resolution Dome Camera			
SC-D8622	1/3 "sony Color	0.01LUX	420TVL	Exview Dome Camera				
SC-D368		1/4 " sharp Color	0.1LUX	420TVL	Dome Camera			
SC-D366		1/3 "sharp Color	0.8LUX					
SC-D363		1/4 "sony Color	1.0LUX					
SC-D3620		1/3 "sony Color	0.8LUX					
SC-D3621		1/3 "sony Color	10.LUX	480TVL	High Resolution Dome Camera			
SC-D3622		1/3 "sony Color	0.01LUX	420TVL	Exview Dome Camera			
SC-D298		1/4 "sharp Color	1.0LUX	420TVL	smoke detector camera			
SC-D296		1/3 "sharp Color	0.8LUX					
SC-D293		1/4 "sony Color	1.0LUX					
sc-D292		1/3 "sony Color	0.8LUX					
SC-D291		1/3 "sony Color	1.0LUX	480TVL	High Resolution Camera			
SC-D2920		1/3 "sony Color	0.01LUX	420TVL	Exview Camera			
SC-D622		Color Sony 1/3 "	0.8Lux	420TVL	Vandal Dome camera, with 3.6 / 6 / 8mm board lens, violet body			
SC-D623		Color Sony 1/4 "	1.0Lux					
SC-D626		Color SHARP 1/3 "						
SC-D628		Color SHARP 1/4 "						
SC-D532		Color Sony 1/3 "	0.8Lux	420TVL	3.6 / 6 / 8mm lens			
SC-D533		Color Sony 1/4 "	1.0Lux					
SC-D536		Color SHARP 1/3 "						
SC-D538		Color SHARP 1/4 "						
SC-D531		Color Sony 1/3 "	0.8Lux	480TVL				
SC-621B		B&W Sony1/3 "	0.03Lux					
SC-625B	B&W LG1/3 "	0.03Lux						
SC-D562		Color Sony 1/3 "	0.8Lux	420TVL				
SC-D563		Color Sony 1/4 "	1.0Lux					
SC-D566		Color SHARP 1/3 "						
SC-D568		Color SHARP 1/4 "						
SC-5610B		B&W Sony1/3 "	0.03Lux	480TVL				
SC-565B		B&W LG1/3 "						


SC-D632		Color Sony 1/3 "	0.8Lux	420TVL	3.6 / 6 / 8mm lens			
SC-D633		Color Sony 1/4 "	1.0Lux					
SC-D636		Color SHARP 1/3 "						
SC-D638		Color SHARP 1/4 "						
SC-D631		Color Sony 1/3 "	0.5Lux	520TVL				
SC-D652		Color Sony 1/3 "	0.8Lux	420TVL				
SC-D653		Color Sony 1/4 "	1.0Lux					
SC-D656		Color SHARP 1/3 "						
SC-D658		Color SHARP 1/4 "						
SC-D552		Color Sony 1/3 "	0.8Lux	420TVL	Vandal Dome camera, with 3.6 / 6 / 8mm board lens			
SC-D553		Color Sony 1/4 "	1.0Lux					
SC-D556		Color SHARP 1/3 "	0.8Lux					
SC-D558		Color SHARP 1/4 "						
SC-D328		1/4 "sharp Color	1.0LUX	420TVL	Big Dome Camera,without lens			
SC-D326		1/3 "sharp Color	0.8LUX					
SC-D323		1/4 "sony Color	1.0LUX					
SC-D3220		1/3 "sony Color	0.8LUX					
SC-D3221		1/3 "sony Color	1.0LUX	480TVL	High Resolution Big Dome Camera,without lens			
SC-D3222		1/3 "sony Color	0.01LUX	420TVL	Exview big Dome Camera,without lens			
SC-D828		1/4 "sharp Color	1.0LUX	420TVL	Big Dome Camera,without lens			
SC-D826		1/3 "sharp Color	0.8LUX					
SC-D823		1/4 "sony Color	1.0LUX					
SC-D8220		1/3 "sony Color	0.8LUX					
SC-D8221		1/3 "sony Color	1.0LUX	480TVL	High Resolution Big Dome Camera,without lens			
SC-D8222		1/3 "sony Color	0.01LUX	420TVL	Exview big Dome Camera,without lens			
SC-D5220		Color Sony 1/3 "	0.8Lux	420TVL	Big dome camera ,video drive, without lens			
SC-D523		Color Sony 1/4 "	1.0Lux					
SC-D526		Color SHARP 1/3 "	0.8Lux					
SC-D528		Color SHARP 1/4 "						
SC-D5222			1.0Lux	480TVL	Big dome camera ,high resolution, Video drive, without lens			
SC-D5221			0.01Lux	420TVL	Big dome camera, low illumination, Video drive, without lens			
SC-691B			B&W Sony1/3 "	0.03Lux	480TVL	Big dome camera,video drive, without lens		
SC-695B			B&W LG1/3 "	0.03Lux		Big dome camera, video drive, without lens		
SC-D393		Color Sony 1/4 "	1.0Lux	420TVL	Big dome camera, CS mount+Video/DC Switchable, without lens			
SC-D3920			0.8Lux	420TVL				
SC-D3922			Color Sony 1/3 "	1.0Lux	480TVL	Big dome camera, high resolution, CS mount +Video/DC Switchable, without lens		
SC-D3921				0.03Lux	420TVL	Big dome camera, low illumination, CS mount+Video/DC Switchable, without lens		
SC-D396			Color SHARP 1/3 "	0.8Lux			Big dome camera ,CS mount+Video/DC Switchable, without lens	
SC-D398			Color SHARP 1/4 "					
SC-631B			B&W Sony1/3 "	0.03Lux	480TVL	Big dome camera ,CS mount+Video/DC Switchable, without lens		
SC-635B			B&W LG1/3 "	0.03Lux				

5.FLY Saucer								
SC-F232		Color Sony 1/3 "	0.8Lux	420TVL	FLY Saucer camera			
SC-F233		Color Sony 1/4 "	1.0Lux					
SC-F236		Color SHARP 1/3 "						
SC-F238		Color SHARP 1/4 "						
SC-F222		Color Sony 1/3 "	0.8Lux	420TVL	FLY Saucer camera			
SC-F223		Color Sony 1/4 "	1.0Lux					
SC-F226		Color SHARP 1/3 "						
SC-F228		Color SHARP 1/4 "						
SC-F208		1/4 "sharp Color	1.0LUX	420TVL	FLY Saucer camera			
SC-F206		1/3 "sharp Color	0.8LUX					
SC-F203		1/4 "sony Color	1.0LUX					
SC-F2020		1/3 "sony Color	0.8LUX					
SC-F201		1/3 "sony Color	1.0LUX	480TVL	High Resolution UFO Style Camera			
SC-F2021		1/3 "sony Color	0.01LUX	420TVL	Exview UFO Style Camera			
6. Box camera (without lens)								
SC-B268		1/4 "sharp Color	1.0LUX	420TVL	Box camera (without lens)			
SC-B266		1/3 "sharp Color	0.8LUX	420TVL	Box camera (without lens)			
SC-B2630		1/4 "sony Color	1.0LUX	420TVL	Box camera (without lens)			
SC-B2610		1/3 "sony Color	0.8LUX	420TVL	Box camera (without lens)			
SC-B2611		1/3 "sony Color	0.8LUX	480TVL	High Resolution Camera(without lens)			
SC-B2612		1/3 "sony Color	0.01LUX	420TVL	High Resolution Exview Camera(without lens)			
SC-B2613		1/3 "sony Color	0.01LUX	480TVL	High Resolution Exview Camera(without lens)			
SC-B2614		two shell for selction	1/3 "sony Color	0.8LUX	535TVL	High Resolution Camera(without lens)		
SC-B221		1/2 "sony Color	0.0008LUX	480TVL	22xZOOM Color, High Resolution Exview Camera(without lens)			
SC-Y3508C		1/3" SONY Super HAD CCD	0.1 Lux	480 TVL	Built-in Vari-focal Auto Iris Lens (3.5~8mm)			
SC-Y3508A		1/4" SONY Color CCD	0.1 Lux	420 TVL	Built-in Vari-focal Auto Iris Lens (3.5~8mm)			
SC-B2221		Color Sony 1/3 "	0.8Lux	420TVL	Video/DC Switchable, without lens			
SC-B222		Color Sony 1/4 "	1.0Lux		Video drive, without lens			
SC-B226		Color SHARP 1/3 "			Video/DC Switchable, without lens			
SC-B228		Color SHARP 1/4 "			Video drive, without lens			
SC-B2223		Color Sony 1/3 "	0.03Lux	480TVL	low illumination, Video/DC Switchable, without lens			
SC-B2222			0.01Lux		Day&Night Low Illumination, Video/DC Switchable, without lens			
SC-B2212			0.01Lux	480TVL	High Resolution & Low Illumination, video/DC Switchable, without lens			
SC-B2211			0.5Lux	480TVL	High Resolution, Video/DC Switchable, without lens			
SC-661B		B&W Sony1/3 "	0.03Lux	600TVL	Video/DC Switchable, without lens			
SC-662B					High Resolution, Video/DC Switchable, without lens			
SC-663B			0.001Lux	480TVL	low illumination, Video/DC Switchable, without lens			
SC-665B			B&W LG1/3 "	0.03Lux	480TVL	Video drive, without lens		

SC-B252		Color Sony 1/3 "	0.8Lux	420TVL	Video/DC Switchable, without lens			
SC-B253		Color Sony 1/4 "	1.0Lux		Video drive, without lens			
SC-B256		Color Sharp 1/3 "			Video/DC Switchable, without lens			
SC-B258		Color SHARP 1/4 "			Video drive, without lens			
SC-685B		B&W LG1/3 "	0.03Lux	480TVL	Video drive, without lens			
SC-B232		Color Sony 1/3 "	0.8Lux	420TVL	Video/DC Switchable, without lens			
SC-B236		Color Sharp 1/3 "	1.0Lux		Video/DC Switchable, without lens			
SC-B238		Color SHARP 1/4 "			Video drive, without lens			
SC-B233		Color Sony 1/4 "			Video drive, without lens			
SC-B231		Color Sony 1/3 "	0.01Lux	480TVL	High Resolution & Low Illumination, video/DC Switchable, without lens			
SC-B298		Color SHARP 1/4 "	1.0Lux	420TVL	Video Drive, without lens			
SC-295B		B&W LG1/3 "	0.03Lux	480TVL	Video drive, without lens			
SC-B283		Color Sony 1/4 "	0.01Lux	420TVL	Day&Night, Video/DC Swichable, without lens			

7. Mini Camera

SC -M203		1/4 "sony Color	1.0LUX	420TVL	Φ36 mm×36 mm×21 mm			
SC -M202		1/3 "sony Color						
SC -M208		1/4 "sharp Color						
SC -M206		1/3 "sharp Color						
SC -205B		1/3 "LG B/M						
SC-M222		Color Sony 1/3 "	0.8Lux	420TVL	3.6mm board lens			
SC-M223		Color Sony 1/4 "	1.0Lux					
SC-M226		Color Sharp1/3 "						
SC-M228		Color SHARP 1/4 "						
SC-681B	B & W SONY1/3 "	0.03Lux	480TVL					
SC-685B	B & W LG1/3 "							
SC-M252		Color Sony 1/3 "	0.8Lux	420TVL				
SC-M253		Color Sony 1/4 "	1.0Lux					
SC-M256		Color Sharp1/3 "						
SC-M258		Color SHARP 1/4 "						
SC-251B	B & W SONY1/3 "	0.03Lux	480TVL					
SC-255B	B & W LG1/3 "							
SC-M262		Color Sony 1/3 "	0.8Lux	420TVL	3.7pinhole lens			
SC-M263		Color Sony 1/4 "	1.0Lux					
SC-M266		Color Sharp1/3 "						
SC-M268		Color SHARP 1/4 "						
SC-281B		B & W SONY1/3 "	0.03Lux	480TVL				
SC-285B		B & W LG1/3 "						
SC-M238		Color SHARP 1/4 "	1.0Lux	420TVL	with audio(28*28), 3.7mm pinhole lens			
SC-WB268		Color Sharp 1/4 "	1.0Lux	420TVL	bullet+sunproof+bracket, silver or black color			

SC-P022		Color Sony 1/3 "	0.8Lux	420TVL	PIR camera, with 32*32mm board camera, with 3.7mm pinhole lens.				
SC-P023		Color Sony 1/4 "	1.0Lux						
SC-P026		Color SHARP 1/3 "							
SC-P028		Color SHARP 1/4 "							

8. Zoom camera

SC-Z222		1/4 "sony color	0 Lux	420TVL	16xZOOM ,120M, 7infrared lamps			
SC-Z232		1/3 "sony color	0 Lux	420TVL	16xZOOM ,70M, 8*36infrared lamps			
SC-Z223		1/4 "sony color	0 Lux	420TVL	22xZOOM ,120M, 7infrared lamps			
SC-Z233		1/3 "sony color	0 Lux	420TVL	22xZOOM ,70M, 8*36infrared lamps			
SC-Z203		1/4 "sony color	1.0LUX	420TVL	22xZOOM Color Complete Camera			

9. Wide dynamic camera

SC-898Q99		1/3" DPS (Digital Pixel System)	0.5Lux	480TVL					
SC-899Q99			0.8Lux	540TVL					OSD, C/CS mount, DC12V/AC24V
SC-898BD18		1/3" DPS (Digital Pixel System)	0.5Lux	480TVL					
SC-899BD18			0.8Lux	540TVL					OSD, C/CS mount, DC12V,4-9mm le
SC-898Q97A		1/3" DPS (Digital Pixel System)	0.5Lux	480TVL					
SC-899Q97A			0.8Lux	540TVL					OSD, C/CS mount ,DC12V/AC24V,IR
SC-898HBX89C		1/3" DPS (Digital Pixel System)	0Lux	480TVL					
SC-899HBX89C			0Lux	540TVL					OSD C/CS mount DC12V
SC-898IHZ20A		1/3" DPS (Digital Pixel System)	0Lux	480TVL					
SC-899IHZ20A			0Lux	540TVL					OSD, C/CS mount, DC12V,IR CUT
SC-898BBX90			0.5Lux	480TVL					
SC-899BBX90			0.8Lux	540TVL					

Remark: 1) Above price is EXW Shenzhen USD.

2) Delivery date: around within 7 days after receipt of payment

3) Terms of payment: T/T in advance

4) Without adaptor

5) all box camera and big dome cameras without lens

6) If above box and dome camera with audio, upcharge us\$ 1.5

7) If above box camera match 220V power, upcharge us\$4.00; 12V/24V, upcharge us\$3.50.

8) If above box camera & bigger dome camera matched video/DC Switchable, upcharge us\$1.00.

9) If above box camera match with Day & Night filter, upcharge us\$1.50.