

Car License Plate Pro Camera (D/N, Anti-Head Light, Parking Lot)

Products List > A Series > Camera > Car License Plate Pro Camera (HQ1) > MTC-LV6638HQ

MTC-LV6638HQ

MTC-LV6638HQ



FEATURES



Mechanical Visible Light Filter


Preliminary



MTC-LV6638HQ new

- ◆ 1/3" Car License Plate Pro Camera
- ◆ SONY HQ1 / 540TVL / 0 Lux (IR LEDs on at 2 Lux)
- ◆ 6 Pcs Super High Power Reflection LEDs + 24 IR LEDs
- ◆ Built-in Aspherical D/N Lens (f3.8~9.5mm)
- ◆ Challenge by Strong Vehicle Head Light
- ◆ Capture Car License Plate Numbers of Anti-Head Light
- ◆ Mechanical Visible Light Filter for Clearer Images at Night
- ◆ External Varifocal Lens Adjustment
- ◆ User Friendly DC Level & High Power IR LEDs Adjustments
- ◆ 3-axis Adjustable & Cable Management Bracket
- ◆ Built-in DNR & Sense Up

External Varifocal Lens Adjustment



SPECIFICATIONS

	MTC-LV6638HQ	
	PAL	NTSC
TV System	PAL	NTSC
Image Sensor	1/3" Sony Super HAD CCD II	
Number of Total Pixels	795(H)x596(V)	811(H)x508(V)
Resolution ; DSP	540TVL ; Sony HQ1	
Minimum Illumination	0 Lux	
Video Output ; Connector	1.0Vp-p Composite, 75Ω ; BNC	
Signal to Noise Ratio	More than 50dB	
Gamma Correction	0.45	
Mechanical Visible Light Filter	Automatically Switches (Triggered by an Infrared Illuminator)	
IR LED	30 units (IR LEDs on <2Lux, IR LEDs off >5Lux) ; 10~15m	
Synchronizing System	Internal	
Automatic Electronic Shutter	Automatic, 1/50(60)sec. ~1/100,000sec.	
Automatic Gain Control	Automatic	
Automatic White Balance	Automatic	
Back Light Compensation	NA	
Flickerless	NA	
DNR ; Sense Up	Automatic Dynamic Digital Noise Reduction (DNR) ; Automatic	
Digital Day&Night Mode	COLOR (Day:Color, Night:Color) / D&N (Day:Color, Night:B/W)	
Automatic IRIS	DC	
Adjustment VR	DC Level	
Lens Mount	Built-in DC Auto IRIS Lens	
Lens, Angle of View(H) ;	f3.8mm~9.5mm/F1.2 Aspherical D/N Lens/74.2°~30.0° ;	
License Plate Working Distance	2~6M	
Water Resistance	IP66	
Max. Breaking Strength	NA	
Power Supply ; Consumption	12Vdc/24Vac ; 12Vdc: IR on:7.2W(0.6A) IR off:2.4W(0.2A), 24Vac: IR on:7.2W(0.3A) IR off:2.4W(0.1A)	
Operation ; Storage Temp.	-10°C~50°C , -20°C~60°C	
Operation ; Storage Humidity	Maximum: RH80% ; RH90%	
Dimensions	93(DIA)x163(D)mm	
Net Weight	800g	
Accessories Series Option(Page)	NA	

