



High Pressure Pump



FDHP-150




Characteristics:

- *Aluminum die-cast housing
- *Aluminum precision casting impeller and cast iron wolute for long life
- *High quality mechanical seal resists corrosion, wear and heat much better than a standard seal

	Model	FDHP-150	FDHP-200
PUMP	outlet/inlet dia. (in.)	1"x1"x1.5"/1.5"	2"/2"
	Max.capacity(l/min.)	300	480
	Total.head(m)	60	55
	Suction head(m)	6	6
	Working speed(rpm)	3600	3600
	Dimensions(LxWxH)(cm)	35.5x31x25	35.5x31x25
	Weight(kg)	10.5	9.5



FDHP-200




Characteristics:

- *Aluminum die-cast housing
- *Aluminum precision casting impeller and cast iron volute for long life
- *High quality mechanical seal resists corrosion, wear and heat much better than a standard seal

	Model	FDHP-150	FDHP-200
PUMP	outlet/inlet dia. (in.)	1"x1"x1.5"/1.5"	2"/2"
	Max.capacity(l/min.)	300	480
	Total.head(m)	60	55
	Suction head(m)	6	6
	Working speed(rpm)	3600	3600
	Dimensions(LxWxH)(cm)	35.5x31x25	35.5x31x25
	Weight(kg)	10.5	9.5



FDHP-200-B



Characteristics:

- *Aluminum die-cast housing
- *Aluminum precision casting impeller and cast iron volute for long life
- *Large water flux
- *High quality mechanical seal resists corrosion,wear and heat much better than a standard seal

	Model	FDHP-200-B
PUMP	outlet/inlet dia. (in.)	2"/2"
	Max.capacity(l/min.)	560
	Total.head(m)	50
	Suction head(m)	3
	Working speed(rpm)	3600
	Dimension(LxWxH)(cm)	35.5x31x25
	Weight(kg)	13