

## LCDSB



### Features

Plastic Dome Camera

SONY/SHARP Color CCD

Back Light Compensation(BLC)

Auto White Balance(AWB)

Lens: Board Lens 3.6mm/F2.0(Optional)

Dimension :  $\phi$  100 x 62(H) mm



### Specifications

Model	LCDSBSH	LCDSBS	LCDSBSF	LCDSBH	LCDSBHF
Image Sensor	1/3"SONY	1/3"SONY	1/4"SONY	1/3"SHARP	1/4"SHARP
Horizontal Resolution	480 TV Line	420 TV Line			
Pixels	PAL:752(H) $\times$ 582(V) NTSC:768(H) $\times$ 494(V)	PAL:500(H) $\times$ 582(V) NTSC:510(H) $\times$ 492(V)			
TV System	PAL/NTSC				
Lens	Board Lens 3.6mm/F2.0(Optional)				
Sync System	Internal				
Usable Illumination	1.0Lux/F2.0	0.8Lux/F2.0	1.0Lux/F2.0		
S/N Ratio	$\geq$ 48dB (AGC OFF)				
Gamma Correction	0.45				
Video Out	Composite Signal (1.0Vp-p, 75 $\Omega$ )				
Scanning System	PAL:625 Lines, 50 Field/Sec;NTSC:525 Lines, 60 Field/Sec				
Electronic Shutter Time	Auto:PAL 1/50-1/100,000Sec;NTSC 1/60-1/100,000Sec				
Operation Temperature	-10 $^{\circ}$ C ~ +50 $^{\circ}$ C RH95% Max				
Storage Temperature	-20 $^{\circ}$ C ~ +60 $^{\circ}$ C RH95% Max				
White Balance	Auto				
Power Source	DC12V 150mA				
Dimension	$\phi$ 100 x 62(H) mm				
Weight	300g				