

YX125-CM**Specifications****ENGINE**

| | |
|---------------------------|--|
| Type | 124cc, Air cooled, 4- stroke, 1-cylinder |
| Bore x Stroke(mm) | 56.5 x 49.5 |
| Compression Ratio | 9.2 : 1 |
| Standard Power(KW/R/Min) | 7.5kw/7000rpm |
| Maximum Torque(N.m/r/min) | 8.6/6000r/min |
| Carburetion | PZ20 |
| Ignition Type | CDI |
| Start Mode | Electric / Kick |
| Transmission | N-1-2-3-4-5 |
| Drive Train | Chain |
| Idle Speed(r/Min) | 1500±150 |

CHASSIS

| | |
|------------------|---------|
| Brakes/Front | Disc |
| Brakes/Rear | Drum |
| Front Tire Size | 2.75*18 |
| Rear Tire Size | 3.00*18 |
| Front Wheel Type | Spoke |
| Rear Wheel Type | Spoke |

DIMENSIONS

| | |
|----------------|-------------------|
| Dim(LxWxH)(mm) | 2100 x 780 x 1100 |
|----------------|-------------------|

Quotation**FOB Chongqing**

| | |
|------------------------|---------------------------------------|
| SeatHeight | 740 |
| Wheel Base(mm) | 1295 |
| Ground Clearance | 140 |
| Fuel Capacity | 10L |
| Fuel consumption/100KM | ≤1.9L |
| Loading Quantity | 20'GP/26pcs; 40'GP/56pcs; 40'HQ/84pcs |

Optional**OTHER**

| | | |
|--|---------------------------|----------------------------------|
| | Lighting | 12V35W/35W*1; 12V5W/21W*1 (rear) |
| | Climb Ability | $\geq 18^\circ$ |
| | Brake Distance (30 Km/Hr) | $\leq 7.00\text{m}$ |
| | Max Speed | 85km/h |