



DOUBLE-ROW ANGULAR CONTACT BALL BEARINGS

Dimension			TYPE			Weight kg
d	D	B	OPEN	ZZ	2RS	
10	30	14.3	5200	5200 ZZ	5200 2RS	0.049
12	32	15.9	5201	5201 ZZ	5201 2RS	0.057
15	35	15.9	5202	5202 ZZ	5202 2RS	0.064
17	40	17.5	5203	5203 ZZ	5203 2RS	0.096
20	47	20.6	5204	5204 ZZ	5204 2RS	0.153
25	52	20.6	5205	5205 ZZ	5205 2RS	0.175
30	62	23.8	5206	5206 ZZ	5206 2RS	0.286
35	72	27	5207	5207 ZZ	5207 2RS	0.436
40	80	30.2	5208	5208 ZZ	5208 2RS	0.590
45	85	30.2	5209	5209 ZZ	5209 2RS	0.640
50	90	30.2	5210	5210 ZZ	5210 2RS	0.689
55	100	33.3	5211	5211 ZZ	5211 2RS	0.986
60	110	36.5	5212	5212 ZZ	5212 2RS	1.270
65	120	38.1	5213	5213 ZZ	5213 2RS	1.570
70	125	39.7	5214	5214 ZZ	5214 2RS	1.800
75	130	41.3	5215	5215 ZZ	5215 2RS	1.900
80	140	44.4	5216	5216 ZZ	5216 2RS	2.390
85	150	49.2	5217	5217 ZZ	5217 2RS	3.060
90	160	52.4	5218	5218 ZZ	5218 2RS	3.730
95	170	55.6	5219	5219 ZZ	5219 2RS	4.860
100	180	60.3	5220	5220 ZZ	5220 2RS	5.940




Dimension			TYPE			Weight kg
d	D	B	OPEN	SHIELDED	SEALED	
15	42	19	5302	5302 ZZ	5302 2RS	0.132
17	47	22.2	5303	5303 ZZ	5303 2RS	0.181
20	52	22.2	5304	5304 ZZ	5304 2RS	0.217
25	62	25.4	5305	5305 ZZ	5305 2RS	0.362
30	72	30.2	5306	5306 ZZ	5306 2RS	0.553
35	80	34.9	5307	5307 ZZ	5307 2RS	0.766
40	90	36.5	5308	5308 ZZ	5308 2RS	1.01
45	100	39.7	5309	5309 ZZ	5309 2RS	1.34
50	110	44.4	5310	5310 ZZ	5310 2RS	1.81
55	120	49.2	5311	5311 ZZ	5311 2RS	2.32
60	130	54	5312	5312 ZZ	5312 2RS	3.05
65	140	58.7	5313	5313 ZZ	5313 2RS	3.96
70	150	63.5	5314	5314 ZZ	5314 2RS	4.74
75	160	68.3	5315	5315 ZZ	5315 2RS	5.65



DOUBLE-ROW ANGULAR CONTACT BALL BEARINGS

Dimension			TYPE			Weight kg
d	D	B	OPEN	SHIELDED	SEALED	
10	30	14.3	3200	3200 ZZ	3200 2RS	0.51
12	32	15.9	3201	3201 ZZ	3201 2RS	0.06
15	35	15.9	3202	3202 ZZ	3202 2RS	0.069
17	40	17.5	3203	3203 ZZ	3203 2RS	0.099
20	47	20.6	3204	3204 ZZ	3204 2RS	0.166
25	52	20.6	3205	3205 ZZ	3205 2RS	0.183
30	62	23.8	3206	3206 ZZ	3206 2RS	0.303
35	72	27	3207	3207 ZZ	3207 2RS	0.458
40	80	30.2	3208	3208 ZZ	3208 2RS	0.627
45	85	30.2	3209	3209 ZZ	3209 2RS	0.678
50	90	30.2	3210	3210 ZZ	3210 2RS	0.698
55	100	33.3	3211	3211 ZZ	3211 2RS	1.07
60	110	36.5	3212	3212 ZZ	3212 2RS	1.34
65	120	38.1	3213	3213 ZZ	3213 2RS	1.68
70	125	39.7	3214	3214 ZZ	3214 2RS	1.84
75	130	41.3	3215	3215 ZZ	3215 2RS	2.01
80	140	44.4	3216	3216 ZZ	3216 2RS	2.71
85	150	49.2	3217	3217 ZZ	3217 2RS	3.48
90	160	52.4	3218	3218 ZZ	3218 2RS	4.24
95	170	55.6	3219	3219 ZZ	3219 2RS	5.1
100	180	60.3	3220	3220 ZZ	3220 2RS	5.88




Dimension			TYPE			Weight kg
d	D	B	OPEN	SHIELDED	SEALED	
15	42	19	3302	3302 ZZ	3302 2RS	0.127
17	47	22.2	3303	3303 ZZ	3303 2RS	0.185
20	52	22.2	3304	3304 ZZ	3304 2RS	0.221
25	62	25.4	3305	3305 ZZ	3305 2RS	0.354
30	72	30.2	3306	3306 ZZ	3306 2RS	0.558
35	80	34.9	3307	3307 ZZ	3307 2RS	0.756
40	90	36.5	3308	3308 ZZ	3308 2RS	1.030
45	100	39.7	3309	3309 ZZ	3309 2RS	1.370
50	110	44.4	3310	3310 ZZ	3310 2RS	1.980
55	120	49.2	3311	3311 ZZ	3311 2RS	2.420
60	130	54	3312	3312 ZZ	3312 2RS	3.070
65	140	58.7	3313	3313 ZZ	3313 2RS	3.900
70	150	63.5	3314	3314 ZZ	3314 2RS	5.200
75	160	68.3	3315	3315 ZZ	3315 2RS	6.300
80	170	68.3	3316	3316 ZZ	3316 2RS	6.95
85	180	73	3317	3317 ZZ	3317 2RS	8.3
90	190	73	3318	3318 ZZ	3318 2RS	9.25
95	200	77.8	3319	3319 ZZ	3319 2RS	11
100	215	82.6	3320	3320 ZZ	3320 2RS	13.5



DOUBLE-ROW ANGULAR CONTACT BALL BEARINGS

Dimension			TYPE			Weight kg
d	D	B	OPEN	SHIELDED	SEALED	
10	30	14	4200	4200 ZZ	4200 2RS	0.049
12	32	14	4201	4201 ZZ	4201 2RS	0.053
15	35	14	4202	4202 ZZ	4202 2RS	0.059
17	40	16	4203	4203 ZZ	4203 2RS	0.090
20	47	18	4204	4204 ZZ	4204 2RS	0.140
25	52	18	4205	4205 ZZ	4205 2RS	0.160
30	62	20	4206	4206 ZZ	4206 2RS	0.260
35	72	23	4207	4207 ZZ	4207 2RS	0.400
40	80	23	4208	4208 ZZ	4208 2RS	0.500
45	85	23	4209	4209 ZZ	4209 2RS	0.540
50	90	23	4210	4210 ZZ	4210 2RS	0.580
55	100	25	4211	4211 ZZ	4211 2RS	0.800
60	110	28	4212	4212 ZZ	4212 2RS	1.100
65	120	31	4213	4213 ZZ	4213 2RS	1.450
70	125	31	4214	4214 ZZ	4214 2RS	1.500
75	130	31	4215	4215 ZZ	4215 2RS	1.600
80	140	33	4216	4216 ZZ	4216 2RS	2.000
85	150	36	4217	4217 ZZ	4217 2RS	2.550
90	160	40	4218	4218 ZZ	4218 2RS	3.200



Dimension			TYPE			Weight kg
d	D	B	OPEN	SHIELDED	SEALED	
12	37	17	4301	4301 ZZ	4301 2RS	0.092
15	42	17	4302	4302 ZZ	4302 2RS	0.120
17	47	19	4303	4303 ZZ	4303 2RS	0.160
20	52	21	4304	4304 ZZ	4304 2RS	0.210
25	62	24	4305	4305 ZZ	4305 2RS	0.340
30	72	27	4306	4306 ZZ	4306 2RS	0.500
35	80	31	4307	4307 ZZ	4307 2RS	0.690
40	90	33	4308	4308 ZZ	4308 2RS	0.950
45	100	36	4309	4309 ZZ	4309 2RS	1.250
50	110	40	4310	4310 ZZ	4310 2RS	1.700
55	120	43	4311	4311 ZZ	4311 2RS	2.150
60	130	44	4312	4312 ZZ	4312 2RS	2.650
65	140	48	4313	4313 ZZ	4313 2RS	3.250
70	150	51	4314	4314 ZZ	4314 2RS	3.950

