

Shop Press

Model: HYC12



Technical data:

Be suitable for straightening work, such as straightening of crankshaft and connecting rod, and for press fit, such as pressing in and out of shaftpin, gear and bush, also it is suitable for dies press and punch press processing.



Specification:

Model	HYJ6	HYC12	HYT20
Capacity	6 ton	12 ton	20 ton
Working range	0 ~ 200mm 0 ~ 7-7/8"	0 ~ 700mm 0 ~ 27-1/2"	0 ~ 725mm 0 ~ 28-1/2"
Package size	970 x 445 x 130mm 38-1/4" x 17-1/2" x 5-1/8"	A: 1380 x 200 x 95mm 54-3/8" x 7-7/8" x 3-3/4" B: 595 x 215 x 200mm 23-3/8" x 8-1/2" x 7-7/8"	A: 1540 x 720 x 160mm 60-5/8" x 28-3/8" x 6-1/4" B: 205 x 185 x 265mm 8" x 7-1/4" x 10-3/8"
Shipping weight(kg)	31	50	102
20' Container	450 pcs	230 pcs	135 pcs
Note		ON 2 PACKAGES	ON 2 PACKAGES

Model	HYC20	HYJ30
Capacity	20 ton	30 ton
Working range	0 ~ 725mm 0 ~ 28-1/2"	0 ~ 810mm 0 ~ 31-7/8"
Package size	A: 1530 x 255 x 155mm 60-1/4" x 10" x 6-1/8" B: 705 x 245 x 265mm 27-3/4" x 9-5/8" x 10-3/8" C: 205 x 185 x 265mm 8" x 7-1/4" x 10-3/8"	A: 1670 x 185 x 215mm 65-3/4" x 7-1/4" x 8-1/2" B: 940 x 340 x 215mm 37" x 13-3/8" x 8-1/2" C: 800 x 400 x 225mm 31-1/2" x 15-3/4" x 8-7/8"
Shipping weight(kg)	101	142
20' Container	170 pcs	120 pcs
Note	ON 3 PACKAGES	ON 2 PACKAGES