



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH01301	3/16	5.5	750	3000	0.98	0.30	19.20	
CH01302	1/4	7.1	1250	5000	1.24	0.38	33.70	
CH01303	5/16	8.7	1900	7600	1.29	0.44	49.40	
CH01304	3/8	10.3	2650	10600	1.38	0.55	72.40	
CH01305	1/2	13.5	4500	18000	1.79	0.72	126.70	
CH01306	5/8	16.7	6900	27600	2.20	0.79	169.50	
CH01307	3/4	19.8	9750	39000	2.76	0.98	272.00	

HIGH TEST CHAIN G43, U.S. TYPE ASTM80



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH01401	1/4	7.1	2600	7750	1.24	0.38	30.90	
CH01402	5/16	8.7	3900	11600	1.29	0.44	49.40	
CH01403	3/8	10.3	5400	16200	1.38	0.55	72.40	
CH01404	1/2	13.5	9200	27600	1.79	0.72	126.70	

TRANSPORTATION CHAIN G70, U.S. TYPE ASTM80



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH01701	1/4	7.1	3150	12600	1.24	0.38	33.70	
CH01702	5/16	8.7	4700	18800	1.29	0.44	49.40	
CH01703	3/8	10.3	6600	26400	1.38	0.55	72.40	

PROOF COIL CHAIN G30, U.S. TYPE NACM84/90



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH02301	1/8	4.0	375	1600	0.94	0.25	9.30	
CH02302	3/16	5.5	800	3200	0.98	0.30	19.20	
CH02303	1/4	7.0	1300	5200	1.24	0.38	30.90	
CH02304	5/16	8.0	1900	6800	1.29	0.44	40.20	
CH02305	3/8	10.0	2650	10600	1.38	0.55	66.40	
CH02306	1/2	13.0	4500	17900	1.79	0.72	113.30	
CH02307	5/8	16.0	6900	27200	2.20	0.79	166.80	
CH02308	3/4	20.0	10600	42400	2.76	0.98	261.60	
CH02309	7/8	22.0	12800	51200	3.03	1.08	315.20	

HIGH TEST CHAIN G43, U.S. TYPE NACM84/90



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH02401	1/4	7.0	2600	7500	1.24	0.38	30.90	
CH02402	5/16	8.0	3900	9700	1.29	0.44	40.20	
CH02403	3/8	10.0	5400	15200	1.38	0.55	66.40	
CH02404	1/2	13.0	9200	25700	1.79	0.72	113.30	

TRANSPORTATION CHAIN G70, U.S. TYPE NACM84/90




ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH02701	1/4	7.0	3150	12100	1.24	0.38	30.90	
CH02702	5/16	8.0	4700	16800	1.29	0.44	40.20	
CH02703	3/8	10.0	6600	24700	1.38	0.55	66.40	

PROOF COIL CHAIN G30, U.S. TYPE NACM96



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH03301	1/8	4.0	400	1600	0.94	0.25	9.30	
CH03302	3/16	5.5	800	3200	0.98	0.30	19.20	
CH03303	1/4	7.0	1300	5200	1.24	0.38	30.90	
CH03304	5/16	8.4	1900	7600	1.29	0.44	44.80	
CH03305	3/8	10.0	2650	10600	1.38	0.55	66.40	
CH03306	1/2	13.0	4500	18000	1.79	0.72	113.30	
CH03307	5/8	16.0	6900	27600	2.20	0.79	166.80	
CH03308	3/4	20.0	10600	42400	2.76	0.98	261.60	
CH03309	7/8	22.0	12800	51200	3.03	1.08	315.20	

HIGH TEST CHAIN G43, U.S. TYPE NACM96



ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH03401	1/4	7.0	2800	7800	1.24	0.38	30.90	
CH03402	5/16	8.7	3900	11700	1.29	0.44	44.80	
CH03403	3/8	10.3	5400	16200	1.38	0.55	66.40	
CH03404	1/2	13.5	9200	27600	1.79	0.72	113.30	

TRANSPORTATION CHAIN G70, U.S. TYPE NACM96




ART. NO.	TRADE	MATERIAL	W.L.L.	M.B.S.	A		B	N.W.
					MAX.			
	SIZE	DIA.			inch	inch	kg/100Ft	
	inch	mm	lbs	lbs				
CH03701	1/4	7.0	3150	12600	1.24	0.38	30.90	
CH03702	5/16	8.7	4700	18800	1.29	0.44	40.80	
CH03703	3/8	10.3	6600	26400	1.38	0.55	66.40	

DIN 763 STEEL CHAIN



ART. NO.	WIRE DIA.	A		W.L.L.	M.B.S.	N.W.
		mm	mm			
	mm	mm	mm	KN	KN	kg/m
CH0401	2.5	24	10	0.75	2.00	0.10
CH0402	3	28	12	1.12	3.20	0.15
CH0403	3.5	28	14	1.50	3.85	0.20
CH0404	4	32	16	2.00	6.00	0.27
CH0405	5	35	20	3.15	10.00	0.43
CH0406	6	42	24	4.50	14.00	0.63
CH0407	7	49	28	6.00	18.00	0.86
CH0408	8	52	32	8.00	25.00	1.10
CH0409	10	65	40	12.50	40.00	1.75
CH0410	13	82	52	21.20	63.00	2.95
CH0411	16	100	64	33.00	100.00	4.45
CH0412	20	120	75	50.00	160.00	7.00

DIN 766 STEEL CHAIN



ART. NO.	WIRE DIA.	A		W.L.L.	M.B.S.	N.W.
		mm	mm			
	mm	mm	mm	KN	KN	kg/m
CH0501	2.5	14	10.0	0.75	2.00	0.11
CH0502	3	16	11.0	1.12	2.80	0.16
CH0503	3.5	18	14.0	1.50	3.85	0.23
CH0504	4	16	13.7	2.00	8.00	0.32
CH0505	5	18.5	17.0	3.20	12.50	0.50
CH0506	6	18.5	20.2	4.00	16.00	0.80
CH0507	7	22	23.8	6.30	25.00	1.10
CH0508	8	24	27.2	8.00	32.00	1.40
CH0509	9	27	30.6	10.00	40.00	1.80
CH0510	10	28	34.0	12.50	50.00	2.20
CH0511	11	31	37.4	16.00	63.00	2.70
CH0512	13	36	44.2	20.00	80.00	3.80
CH0513	14	41	47.6	25.00	100.00	4.40
CH0514	16	45	54.4	32.00	125.00	5.70
CH0515	18	50	61.2	40.00	160.00	7.30
CH0516	20	56	68.0	50.00	200.00	9.00

DIN 5685 STEEL CHAIN, LONG LINK



ART. NO.	WIRE DIA.	A		W.L.L.	M.B.S.	N.W.
		mm	mm			
	mm	mm	mm	KN	KN	kg/m
CH0601	2.5	24	10	0.75	2.00	0.10
CH0602	3	26	12	1.12	2.80	0.15
CH0603	3.5	28	14	1.50	3.85	0.20
CH0604	4	32	16	2.00	5.00	0.27
CH0605	5	35	20	3.15	7.75	0.43
CH0606	6	42	24	4.50	11.50	0.63
CH0607	7	49	28	6.00	15.00	0.86
CH0608	8	52	32	8.00	20.00	1.10
CH0609	9	59	36	10.00	25.00	1.41
CH0610	10	65	40	12.50	31.00	1.75
CH0611	11	72	44	15.00	38.00	2.11
CH0612	12	78	48	18.00	45.00	2.55
CH0613	13	82	52	21.20	53.00	2.95

DIN 5685 STEEL CHAIN, SHORT LINK



ART. NO.	WIRE DIA.	A		W.L.L.	M.B.S.	N.W.
		mm	mm			
	mm	mm	mm	KN	KN	kg/m
CH0601	2.5	14	10	0.75	2.00	0.11
CH0602	3	16	12	1.12	2.80	0.17
CH0603	3.5	18	14	1.50	3.85	0.23
CH0604	4	19	16	2.00	5.00	0.30
CH0605	5	21	20	3.15	7.75	0.50
CH0606	6	24	24	4.50	11.50	0.73
CH0607	7	28	28	6.00	15.00	1.00
CH0608	8	32	32	8.00	20.00	1.30
CH0609	9	36	36	10.00	25.00	1.65
CH0610	10	40	40	12.50	31.00	2.05
CH0611	11	44	44	15.00	38.00	2.50
CH0612	12	48	48	18.00	45.00	2.90
CH0613	13	52	52	21.20	53.00	3.45

U.K. TYPE SHORT LINK CHAIN



ART. NO.	SIZE	A		W.L.L.	M.B.S.	N.W.
		inch	mm			